

Triaxial fabric data sheet

Code # C900XI

Characteristics		
	Nominal	Tolerance
Mass per unit of area (gr/sqm)	924	± 5%
Construction	+45/0/-45	

	+45	0	-45
Fabric description	Carbon fiber 24K	Carbon fiber 24K	Carbon fiber 24K
Fabric distribution (gr/sqm)	308	308	308
Weight rate (%)	33.3%	33.3%	33.3%

Stitching fiber	
Stitching thread	Polyester
Stitch DTex	78
Stitch weight (gr/sqm)	7

Note: Technical information furnished is based on laboratory findings and believed to be correct. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user.

