



## Balanced woven fabric data sheet

### Code # GA290JZ

Characteristics			
		Nominal	Tolerance
Mass per unit of area	(gr/sqm)	290	± 5%
Weave		Jaquard	
Laminate thickness (vacuum)	(mm)	0.30	± 15%

Warp – Weft ratio			
		Warp	Weft
Fiber description		3 X EC9 68 tex fiber	EC9 136 tex fiber
Thread count	(ends/cm)	22	11
Weight distribution	(gr/sqm)	152	143
Weight distribution	(%)	52	48

Note: Technical information furnished is based on laboratory findings and believed to be correct. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user.

